


Sample Picture (As received)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Label

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report**

**No.:**SHHG1503008855SD

**Date:** APR. 17, 2015

**Page 3 of 22**

LI & FUNG – HANGZHOU YOUZHOU I  
 RM.161, BUILDING 1, 398 TIANMUSHAN, WESTLAKE  
 DISTRICT, JINHUA, CH, ZHEJIANG, 310000, CN  
 JULIA@YNLHZ.CN  
 PAULA@YNLHZ.CN  
 to: TESTREPORTS@MICHAELS.COM  
 cc: JULIA@YNLHZ.CN  
 PAULA@YNLHZ.CN  
 RACHELWANG@LFSOURCING.COM  
 SEVENZHOU@LFSOURCING.COM  
 LFGMQAMAIL@LFSOURCING.COM

Date In: MAR. 25, 2015  
 Date Out: APR 17, 2015  
 Mod. Log In: /  
 Working Days: 7+  
 Revision Date: /

OVERALL RATING

PASS X  
FAIL\*

*\*The vendor is not authorized to ship any item on a failed test report. Contact your QA Manager*

**Michael's Stores Testing For – US-CA-051-2104 – PARTY COSTUME(ADULTS AND CHILDREN) – V4**  
**– US-CA-051-2205 – PACKAGING AND LABELING REQUIREMENTS – V4**

<b>Michael's Protocol:</b>			
<b>US-CA-051-2104 – PARTY COSTUME(ADULTS AND CHILDREN) – V4</b>			
<b>US-CA-051-2205 – PACKAGING AND LABELING REQUIREMENTS – V4</b>			
<b>Online TRF Number:</b> 99658-150317-PC-0029628-01			
<b>Sample Description:</b>	IMAGIN8 HALL SUSPENDERS	<b>Department Number:</b>	56
<b>Vendor/Supplier Name</b>	LI & FUNG – HANGZHOU YOUZHOU I	<b>Vendor/Supplier Number</b>	99658
<b>Factory Name:</b>	PAN AN HONGYE GUANGDIAN ARTS & CRAFTS FACTORY		
<b>Color:</b>	HOT PINK, RAINBOW, LIME	<b>Associated Supplier Number (if applicable)</b>	/
<b>Vendor Part Number:</b>	LFSHYZ-12	<b>Primary SKU No.:</b>	10427403
<b>Related SKUs:</b>	/	<b>Product(s) Marketed To:</b>	/
<b>Tested Age Grading:</b>	N/A	<b>Country of Distribution:</b>	US & CAN
<b>Michael's Stores Agents:</b>	LI & FUNG		
<input type="checkbox"/>	<b>Revised report</b>	<input type="checkbox"/>	<b>Amended report</b>
<b>Reason For Revision or Amendment:</b>	/		
<b>Type of Testing:</b>	<input checked="" type="checkbox"/> Production Certification Testing <input type="checkbox"/> Periodic Testing <input type="checkbox"/> Transit Testing <input type="checkbox"/> Pre-Testing <input type="checkbox"/> Re-Test, Previous Report Number: ____/____ <input type="checkbox"/> Other ____/____		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61402666\*2013 f (86-21)54500353 www.cn.sgs.com  
 中国·上海·徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61402666\*2013 f (86-21)54500353 e sgs.china@sgs.com



**Test Report**

**No.:**SHHG1503008855SD

**Date:** APR. 17, 2015

**Page 4 of 22**

**Executive Summary:**

/

**Remarks:**

/

**Note:**

The product(s) and/or packaging evaluated in this test report have not been reviewed for compliance with the Province of Quebec's language laws or Michaels' 3T Trilingual Policy. A designation that the product is has been reviewed for Canada only means that the Canadian product regulations listed have been applied to the product, not the specific language requirements. Each Vendor is responsible for confirming that all products and packaging comply with the language requirements of Quebec and Michaels' 3T program.

Signed for and on behalf of  
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Vincent Feng  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.:SHHG1503008855SD

Date: APR. 17, 2015

Page 5 of 22

US-CA-051-2104 – PARTY COSTUME (ADULTS AND CHILDREN) – V4

Test Property	Test Method	Test Principle / Requirements	Results
<b>SCOPE</b>			
<i>This protocol is applicable for adult's and/or children's party costume.</i>			
<b>SUPPLEMENT PROTOCOLS / ADDITIONAL TESTING</b>			
* CA Prop 65	Applicable Section from SGS California Proposition 65 Master File	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required.	Pass (See result 1)
* Children Product (if applicable)	Refer to Supplemental Protocol US-CA-051-1724	Samples must be reviewed against all applicable section of children product protocol.	N/A
Packaging and labeling Requirements	Refer to Supplemental Protocol US-CA-051-2205	This protocol contains packaging and labeling requirements. All products and retail packaging (if applicable) shall be evaluated according to the Michael's Packaging and Labeling Requirements Protocol. Packaging may be final or approved digital print for testing.	Refer to Protocol US-CA-051-2205
Note: Additional cost, sample size & TAT may be required if testing to 1 or more supplemental protocol is necessary. Please refer to the above referenced supplemental protocol(s) for additional information.			
<b>REGULATORY REQUIREMENTS - ALL</b>			
* Heavy metals content in packaging materials – Testing, or documentation review	Model toxics in packaging legislation of the Toxics in Packaging Clearing House (TPCH)	The sum of concentration levels of lead, cadmium, mercury and hexavalent chromium in packaging or packaging components shall not exceed 100 mg/kg (100 ppm) by weight.  As a client requirement, document review would be conducted on the following materials ONLY: (i) all PVC packaging components; (ii) all inks and colorants on packaging or components; (iii) all solder, snaps, grommets and zippers used in packaging; (iv) all adhesives  Vendor shall be responsible for the compliance of all other accessible	Pass (The guarantee letter was provided)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61402666\*2013 f (86-21)54500353 www.cn.sgs.com  
 中国·上海·徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61402666\*2013 f (86-21)54500353 e sgs.china@sgs.com

Test Property	Test Method	Test Principle / Requirements	Results
		packaging materials and inaccessible materials.  In lieu of testing, Certificate of Compliance (COC) can be submitted if dated within one year. A copy of the COC must be attached to the report.  Client requirement	
*Tris(2,3-dibromopropyl) phosphate (CAN)	Schedule 2, Item 10 in CCPSA	Prohibited	Pass (See result 2)
*Perfluorooctanesulfonic acid (PFOS) and its derivatives (Required if sample declared with functional finishing) (CAN)	Subsection 93(1) and section 319 of the Canadian Environmental Protection Act (CEPA) 1999	Prohibited	N/A
*Flame retardants [8 items: PBB, TRIS, TEPA, PentaBDE, OctaBDE, DecaBDE, Bis(2,3-dibromopropyl) phosphate, chlorinated paraffins (C10-C13)] (Required if sample treated with flame retardant only) (US)	States Legislation: Washington, Maine, Oregon;  In-house method; GC-MS/ GC-NPD/MS /LC-MS analysis	States Legislation: Usage Ban Oregon State Legislation (SB 596): DecaBDE < 0.1% w/w	N/A
*Flammability (CAN)	CAN/CGSB 4.2 No. 27.5 Canada Consumer Product Safety Act (S.C. 2010, c. 21), Textile Flammability Regulations (SOR 2011-22)	Prohibited if flame spread time: (a) ≤ 3.5 seconds for general textile products with a flat fibre surface; or (b) ≤ 4 seconds for general textile products with a raised fibre surface	N/A
Fiber Content (US)	AATCC 20/20A	Single: No tolerance Blends:+/-3%	N/A
Fiber Content (CAN)	CAN 4.2 Method 14	Single: No tolerance Blends:+/-5%	N/A
<b>LABELING - ALL</b>			
# Claim verification	Visual	Examine the product compared to the retail packaging or packaging artwork	1 pc

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Property	Test Method	Test Principle / Requirements	Results
		to verify any general claims not covered elsewhere within this protocol and record any discrepancies. Data only.	
<b>PHYSICAL CHARACTERISTICS – ALL</b>			
Fiber Content (US)	AATCC 20/20A	Single: No tolerance Blends:+/-3%	N/A
Fiber Content (CAN)	CAN 4.2 Method 14	Single: No tolerance Blends:+/-5%	N/A
<b>CONSTRUCTION QUALITIES – ALL</b>			
Workmanship	Visual Check	Sample shall be: <ul style="list-style-type: none"> <li>- Without major defects</li> <li>- Without components missing, deformed or fractured</li> <li>- Without hardware missing</li> <li>- Without pits or burrs and weld smoothly filed / grounded</li> <li>- Without loose components or loosened fastening where rigidity is required</li> <li>- With proper and uniform adhesion in wooden parts</li> <li>- Without scratches, dents, cracks, marred or discolored surface</li> <li>- Without flash and consistent in size, color and form for plastic parts</li> <li>- With finished edges and seams</li> <li>- Even in color &amp; clarity</li> <li>- Evenly aligned in seams and components</li> </ul> <p>Report all workmanship defects supported with photos if necessary.</p>	Pass
Sharp Points and Edges	16 CFR 1500.48/49 (for reference)	Sample as received shall be without sharp points or edges on any components other than those required for functional use.  Modification: Expand scope	Pass
Mechanical Hazards - Attachment Strength (Childrens Items only)	SOR/2011-17 sections 7-18, 28	Product shall not contain a separable component that may detach during foreseeable abuse that fits within the volumetric container specified in	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Property	Test Method	Test Principle / Requirements	Results
		Schedule VIII.	
Mechanical Hazards - Attachment Strength (Childrens Items only)	SOR/2011-17 sections 7-18, 28	Product shall have be free from sharp edges. Wire ends folded back or covered to eliminate sharpness or burrs (sharp points).	N/A
Mechanical Hazards - Attachment Strength (Childrens Items only)	SOR/2011-17 sections 7-18, 28	All parts, clothing, or ornamentation shall be attached to any product such that no sharp edge or point is exposed during reasonable use.	N/A
<b>PERFORMANCE TESTING – ALL</b>			
* Flammability (CAN)	CAN/CGSB 4.2 No. 27.5 Canada Consumer Product Safety Act (S.C. 2010, c. 21), Textile Flammability Regulations (SOR 2011-22)	Time of flame spread: ≥ 7s (fabric w/o raised fiber surface) ≥ 7s (fabric w/raised fiber surface)	N/A
* Flammability of Textiles (US)	ASTM D1230 (Reference 16 CFR 1610)	Class 1 Must comply.	N/A
Flammability of Vinyl Plastic Film (For Non-Textile Components Only)	16 CFR 1611	[If Sample Size Permits] [US] Shall not have a burn rate greater than 1.2 inch./ sec. (Products must comply with 16 CFR 1611 requirements NOTE: If sample size does not permit for this testing, 16 CFR 1500.44 Flammability of Solids must be conducted.)	N/A
Flammability of Solids	16 CFR 1500.3 (c) (6) (vi) / 16 CFR 1500.44	Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second	Pass
Seam Strength	ASTM D1683	Min 10 lbs/ 2 seams	N/A
Seam Stretchability Test	SGS In-house Method	[Knit] 35% elongation or 7 Lbs. Minimum	N/A
Appearance after Washing	Visual examination (1&3 Wash)	Satisfactory	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Property	Test Method	Test Principle / Requirements	Results
Color fastness to Crocking	AATCC 8/116	Dry: 3.0; Wet: 2.0	Pass (See result 3)
<b>ANALYTICAL – ALL</b>			
* Lead in surface coating	16 CFR 1303	<p>Limit ≤ 0.009% (90 ppm) total weight Applicable to accessible surface coatings in the as-received condition.</p> <p>Component testing is allowed. Composite testing of up to 3 like materials is allowed (individual materials must be tested if the composite result exceeds the adjusted limit). Supplier may submit wet paints (with Michaels approval) if the actual product samples have too little surface coating for testing. Wet paint samples must be accompanied by a certification letter confirming the wet sample is the same as used for production.</p> <p>Note: Compositing is not allowed for wet paint.</p> <p>Client requirement</p>	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.:SHHG1503008855SD

Date: APR. 17, 2015

Page 10 of 22

US-CA-051-2205 – PACKAGING AND LABELING REQUIREMENTS – V4

Test Property	Test Method	Test Principle / Requirements	Results
<b>SCOPE</b>			
This supplemental protocol must be used for all product submissions under Michaels program, for all product categories.			
<b>LABELING – ALL</b>			
NOTE: Font size requirements for Private Brand products can be evaluated based on final printed packaging or a full scale, high-resolution print proof. All non-private brand product must be submitted with final retail packaging.			
DEFINITIONS:			
<ul style="list-style-type: none"> <li>• <u>Packaging</u> – includes all plastic bags and blister packs, cardboard, paper, stickers, etc. that accompany a product at the point of sale to final consumer.</li> <li>• <u>Two sided face panels</u> – where both sides serve for purposes of PDP, one side can contain English information and the other can contain other language (provided it's a 2T item).</li> <li>• <u>Brand/Collection placement</u> – should appear together within the PDP; it shall be in type size and location where it is easily read and parallel to the base of the packaging.</li> <li>• <u>SBA</u> – Store Basic Assortment (non-seasonal merchandise).</li> <li>• <u>3T</u> – Trilingual language; English/Canadian French/Spanish on all packaging for products distributed in the USA and Canada.</li> <li>• <u>2T</u> – Bilingual language; English/Canadian French on all packaging for products distributed in Canada; English/Spanish on all packaging for products distributed in the USA.</li> </ul>			
NOTES:			
<ul style="list-style-type: none"> <li>• Lab is responsible only for verifying the presence of Canadian French and Spanish languages as required, not the accuracy of translations.</li> <li>• Lab is <u>not</u> required to verify the presence of 3T and 2T on all Michaels private brand items (see private brand list at end of protocol).</li> <li>• If a vendor identifies the submission as e-comm only, please evaluate to the 4 basic components of packaging: distribution statement, COO, net quantity/contents, and product description only.</li> </ul>			
EXCEPTIONS:			
<ul style="list-style-type: none"> <li>• <u>Ribbon Flanges</u> – are allowed to have weights &amp; measures (net quantity/content) on back flange, and not the side where brand is.</li> <li>• <u>Bead backer cards</u> – have a piece count exception for it to be on upper right corner of card (net quantity/content).</li> <li>• <u>Polybags with header cards</u> – the PDP will be considered the header card only, not inclusive of polybag.</li> <li>• <u>Branded UPC labels</u> – little or no space above or below weights &amp; measures (net quantity/content) due to lack of room.</li> <li>• <u>Aaron Brothers submissions</u> are exempt from 2T/3T and should be English only and tested for US only requirements</li> </ul>			
2T/3T	Visual Check / client requirement	All non private brand submissions must have all text and phrases in 3 languages (english/French/Spanish)  o Canada-only sku – 2T	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61402666\*2013 f (86-21)54500353 www.cn.sgs.com  
 中国·上海·徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61402666\*2013 f (86-21)54500353 e sgs.china@sgs.com

Test Property	Test Method	Test Principle / Requirements	Results
		<p>(English/French)</p> <ul style="list-style-type: none"> <li>o USA-only sku – 2T (English/Spanish)</li> <li>o Aaron Brothers – English only</li> </ul> <p>All languages should have equal font size, color, and prominence.</p> <p>Prominence includes characteristics like text size, color, font, boldness and location of text.</p> <p>Abbreviated words shall be abbreviated in all 3 languages. A combination of abbreviated and unabbreviated words will not be considered to have equal prominence.</p> <p>Note: Labs are not required to evaluate 2T/3T translations on private brand products (see private brand list at end of document)</p>	
Product Description/Identification	Visual Check	<p>Product Identification/Statement of Identity</p> <p>Product identification shall be English, Spanish and French (as applicable), on PDP. Labs are not responsible for presence or accuracy of Spanish or French (if item is USA only) for private brand items.</p> <p>Open Stock items (single items with no packaging) shall also have product identity on hang tag/label.</p> <p>Font Size: 1.6mm minimum</p>	Pass
Net Quantity/Contents	Visual Check	<p>Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).</p>	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Property	Test Method	Test Principle / Requirements	Results														
		<ul style="list-style-type: none"> <li>• Units of volume – when product is a liquid, gas or viscous</li> <li>• Units of weight – when product is solid</li> <li>• Numerical count – when product is sold by individual units</li> <li>• Bi-dimensional products – declared by number of rolls/sheets, length and width, area, etc.</li> </ul> <p>Declaration must be in English and French, on PDP, based on Principal Display Surface (PDS) <b>to meet both USA and Canada requirements</b></p> <p>PDS</p> <table border="0"> <tr> <td>Minimum Type</td> <td></td> </tr> <tr> <td>&lt;32 cm<sup>2</sup> (5 in<sup>2</sup>)</td> <td>1.6 mm (1/16 in)</td> </tr> <tr> <td>&gt;32 cm<sup>2</sup> but &lt;161 cm<sup>2</sup> (25 in<sup>2</sup>)</td> <td>3.2 mm (1/8 in)</td> </tr> <tr> <td>&gt;161 cm<sup>2</sup> but &lt; 258 cm<sup>2</sup> (40 in<sup>2</sup>)</td> <td>4.8 mm (3/16 in)</td> </tr> <tr> <td>&gt;258 cm<sup>2</sup> but &lt; 645 cm<sup>2</sup> (100 in<sup>2</sup>)</td> <td>6.4 mm (1/4 in)</td> </tr> <tr> <td>&gt;645 cm<sup>2</sup> but &lt;2581 cm<sup>2</sup> (400 in<sup>2</sup>)</td> <td>9.5 mm (3/8 in)</td> </tr> <tr> <td>&gt;2581 cm<sup>2</sup> (400 in<sup>2</sup>)</td> <td>12.7 mm (1/2 in)</td> </tr> </table> <p>Net quantity/contents must appear in the lower 30% of PDP and separated from all other printed information on the label by a distance of at least the height of the net quantity.</p> <p>Numerical portion of the net quantity/contents must be in bold face type (darker than other info).</p>	Minimum Type		<32 cm <sup>2</sup> (5 in <sup>2</sup> )	1.6 mm (1/16 in)	>32 cm <sup>2</sup> but <161 cm <sup>2</sup> (25 in <sup>2</sup> )	3.2 mm (1/8 in)	>161 cm <sup>2</sup> but < 258 cm <sup>2</sup> (40 in <sup>2</sup> )	4.8 mm (3/16 in)	>258 cm <sup>2</sup> but < 645 cm <sup>2</sup> (100 in <sup>2</sup> )	6.4 mm (1/4 in)	>645 cm <sup>2</sup> but <2581 cm <sup>2</sup> (400 in <sup>2</sup> )	9.5 mm (3/8 in)	>2581 cm <sup>2</sup> (400 in <sup>2</sup> )	12.7 mm (1/2 in)	
Minimum Type																	
<32 cm <sup>2</sup> (5 in <sup>2</sup> )	1.6 mm (1/16 in)																
>32 cm <sup>2</sup> but <161 cm <sup>2</sup> (25 in <sup>2</sup> )	3.2 mm (1/8 in)																
>161 cm <sup>2</sup> but < 258 cm <sup>2</sup> (40 in <sup>2</sup> )	4.8 mm (3/16 in)																
>258 cm <sup>2</sup> but < 645 cm <sup>2</sup> (100 in <sup>2</sup> )	6.4 mm (1/4 in)																
>645 cm <sup>2</sup> but <2581 cm <sup>2</sup> (400 in <sup>2</sup> )	9.5 mm (3/8 in)																
>2581 cm <sup>2</sup> (400 in <sup>2</sup> )	12.7 mm (1/2 in)																
Country of origin	Visual Check	Shall indicate country of origin legibly,	Pass														

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Property	Test Method	Test Principle / Requirements	Results
marking		<p>permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.</p> <p>a) Goods shall indicate country of origin.                      b) Must be legible and sufficiently permanent to remain on the goods until it reaches the purchaser.                      c) The languages should be consistent with 2T or 3T markings, as applicable (labs do not need to evaluate for 2T/3T for private brand items).</p>	
Distribution Statement	Visual Check	<p>Manufacturer or distributor's name &amp; address (City &amp; Postal Code). Placed anywhere except bottom – languages consistent with 2T or 3T markings [see 2T/3T notes above].</p> <p>For Canada:                      Where a prepackaged product is wholly manufactured or produced in a country other than Canada, the marking shall consist of one of the following:                      -The name and address of a Canadian dealer preceded by the words "imported by" ("importé par") or "imported for" ("importé pour"); or                      -The statement of geographic origin located immediately adjacent to the name and address of a Canadian dealer; or                      -The name and address of the dealer outside Canada                      -Font Size: 1.6mm minimum</p>	Pass
Labeling - Charter of French Language	Visual Check	<p>[for product to CANADA]</p> <p>Every inscription on a product, on its container or on its wrapping, or on a</p>	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Property	Test Method	Test Principle / Requirements	Results
		<p>document or object supplied with it, including the directions for use and the warranty certificates, must be drafted in French. The French inscription may be accompanied with a translation or translations, but no inscription in another language may be given greater prominence than that in French</p> <p>[See 2T and 3T notes above]</p>	
Suffocation Warnings on Plastic Bags	Visual Check	<p>Bags must be labeled with suffocation warnings if they are less than 1mil thick (1 mil=0.0254 millimeters). Warnings must include English, and French as Spanish, as applicable. Labs only verify presence of warning in English if bag thickness is not met</p> <p><b>WARNING:</b> To avoid danger of suffocation, keep this bag away from babies and children. Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing.</p> <p><b>AVERTISSEMENT :</b> Pour éviter tout risque d'étouffement, garder ce sac hors de portée des bébés et des enfants. Ne pas utiliser dans le berceau, le lit, la poussette ou dans le parc. Le film plastique pourrait se coller au nez et à la bouche de l'enfant et l'empêcher de respirer.</p> <p><b>ADVERTENCIA:</b> Para evitar riesgos de asfixia, mantener esta bolsa fuera del alcance de los bebés y niños. No usar en</p>	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Property	Test Method	Test Principle / Requirements	Results										
		<p>cunas, camas, carros o corrales. La película delgada se puede pegar en la nariz o la boca e impedir la respiración.</p> <table border="1"> <thead> <tr> <th>Total Length &amp; Width of Bag Combined</th> <th>Minimum Type Size</th> </tr> </thead> <tbody> <tr> <td>Less than 25 inches</td> <td>10 point</td> </tr> <tr> <td>25 - 39 inches</td> <td>14 point</td> </tr> <tr> <td>40 - 59 inches</td> <td>18 point</td> </tr> <tr> <td>60 inches or more</td> <td>24 point</td> </tr> </tbody> </table>	Total Length & Width of Bag Combined	Minimum Type Size	Less than 25 inches	10 point	25 - 39 inches	14 point	40 - 59 inches	18 point	60 inches or more	24 point	
Total Length & Width of Bag Combined	Minimum Type Size												
Less than 25 inches	10 point												
25 - 39 inches	14 point												
40 - 59 inches	18 point												
60 inches or more	24 point												
Suffocation Warnings on Plastic Bags – Toys Canada only	Canadian Toy Law	<p>For all toys sold in Canada: bags are required to be at least 0.75 mil (0.019 millimeters) thick. If the opening circumference is 14 inches or larger, the bag must be labeled with suffocation warnings in no less than English and French (see above warnings). Applicable to both countries of distribution (USA/Canada)</p>	N/A										
Trademarked or registered text and phrases, and company names	Visual Check	<p>[LABELING - GENERAL] Trademarked/registered text and phrases, and company names are exempt from trilingual labeling requirements. Trademarked text and phrases must be registered in the US and Canada.</p> <p>Note: It is the submitters responsibility to ensure any trademarked/registered text that is not translated into all 3 languages is registered in the US and Canada. Text showing a trademark, registration, or that is potentially trademarked or registered will not be evaluated for translation.</p>	Imagin8™										

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Property	Test Method	Test Principle / Requirements	Results
		Note: List all untranslated text that may be trademarked/registered Client requirement	
Conflict of trilingual labeling	Visual Check	[LABELING - GENERAL] Text is exempt from trilingual labeling where prohibited by a law or regulation. Only the languages allowed by the law or regulation shall appear on the package, label, instructions or product. This includes such text required on the law label and by the Quebec French language requirement. (example: TSSA Law label can only be in French and English. Spanish is not acceptable on the label)	N/A

**Remark:**

# 1	N/A means not applicable to this product design.
-----	--

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Results:**

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	SHA15-048670.001	Pink elastic band
SN2	SHA15-048670.002	Pink plastic film with fabric
SN3	SHA15-048670.003	Silvery metal clip

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL )
- (4) "-" = Not Regulated

**1. US California Proposition 65- Soluble Arsenic and Soluble Cadmium**

Test Method : With reference to ASTM F 963-11, analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	001	002	003
Soluble Arsenic (As)	25	mg/kg	2.5	ND	ND	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND	ND	ND

Notes :

(1) The limit is referenced to the requirement stated in the Country of Alameda Case No. HG12633575.

**US California Proposition 65- Free Formaldehyde Content**

Test Method : With reference to ISO 14184-1:2011, analysis was performed by UV-Vis.

Test Item(s)	Limit	Unit	MDL	001	002
Formaldehyde	75	mg/kg	16	ND	ND

Notes :

The limit is referenced to the formaldehyde requirement as stated in the Country of Alameda, HG12633575

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**US California Proposition 65- Lead content**

Test Method : With reference to CPSC Test Method: CPSC-CH-E1002-08.1. Analysis was performed by AAS.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Lead (Pb)	300	mg/kg	20	ND
<b>Conclusion</b>				<b>PASS</b>

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Lead (Pb)	300	mg/kg	20	ND
<b>Conclusion</b>				<b>PASS</b>

Notes :

The limit is referenced to the requirement stated in the Country of Alameda Case No. HG12633575

**US California Proposition 65- Lead content**

Test Method : With reference to CPSC Test Method: CPSC-CH-E1001-08.1. Analysis was performed by AAS.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Lead (Pb)	300	mg/kg	20	ND
<b>Conclusion</b>				<b>PASS</b>

Notes :

The limit is referenced to the requirement stated in the Country of Alameda Case No. HG12633575

**US California Proposition 65- Phthalate content**

Test Method : With reference to CPSC-CH-C1001-09.3. Analysis was performed by GC-MS.

<u>Test Item(s)</u>	<u>CAS NO.</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND
Dibutyl Phthalate (DBP)	84-74-2	1000	mg/kg	50	ND
Benzylbutyl Phthalate (BBP)	85-68-7	1000	mg/kg	50	ND
<b>Conclusion</b>					<b>PASS</b>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.:SHHG1503008855SD

Date: APR. 17, 2015

Page 19 of 22

Test Item(s)	CAS NO.	Limit	Unit	MDL	002
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND
Dibutyl Phthalate (DBP)	84-74-2	1000	mg/kg	50	ND
Benzylbutyl Phthalate (BBP)	85-68-7	1000	mg/kg	50	ND

### Conclusion

**PASS**

#### Notes :

(1) The limit is referenced to the requirement stated in the Country of Alameda Case No. HG12633575.

### 2. Tris(2,3-dibromopropyl) phosphate(TDBPP)

Test Method : In-house method, analysis was performed by GC-MS/LC-MS.

Test Item(s)	CAS NO.	Limit	Unit	MDL	001
Tris(2,3-dibromopropyl) phosphate(Tris/TDBPP)	126-72-7	ND	mg/kg	5	ND

#### Notes :

(1) The maximum permissible limit is quoted from the client requirement.

Sample Description : (A)Imagin8 hall suspenders: in hot pink  
(B)Fabric: for A

#### Requirement

### 3. Color Fastness To Crocking

(AATCC 8-2013)

	(B)	
Dry staining	4.5	Min 3.0
Wet staining	4.5	Min 2.0

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Appendix**

Hangzhou Youzhou Imp. & Exp. Co., LTD.

Certificate of Compliance

Reduction of Toxics in Packaging

	Item 1	Item 2	Item 3
Product description	IMAGINE8 HALL BLACK CAT COSTUME	IMAGINE8 HALL SPIDERWEB TIGHTS	IMAGINE8 HALL SUSPENDERS
Item#	10427401	10427524	10427403
UPC#	00886946720536	00886946721601	00886946720550
Original test report#			
Original test report date			
*Tracking#			
*Tracking method			
ICIX request ID			
	Item 4	Item 5	Item 6
Product description	IMAGINE8 HALL LIGHTUP COWBOY HAT	IMAGINE8 HALL SHINY GLOVES	IMAGINE8 HALL LACE WRIST GLOVES
Item#	10427521	10427327	10427326
UPC#	00886946721571	00886946720475	00886946720468
Original test report#			
Original test report date			
*Tracking#			
*Tracking method			
ICIX request ID			
	Item 7	Item 8	Item 9
Product description	IMAGINE8 HALL LIGHT UP TUTU	IMAGINE8 HALL LIGHT UP LGWRMR	IMAGINE8 HALL TIARA
Item#	10427312	10426848	10427522
UPC#	00886946720451	00886946718373	00886946721588
Original test report#			
Original test report date			
*Tracking#			
*Tracking method			
ICIX request ID			
	Item 10		
Product description	IMAGINE8 HALL CROWN		
Item#	10427523		
UPC#	00886946721595		
Original test report#			
Original test report date			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

*Tracking#			
*Tracking method			
ICIX request ID			

We certify that all packaging and packaging components sold to **Michael's Stores, Inc.**

or its subsidiaries in the State(s) of **[State Name(s)]** comply with the requirements of the toxics in packaging law(s). Specifically:

- 1) We certify that the regulated metals – lead, mercury, cadmium, and hexavalent chromium – were not intentionally added to any package or packaging component during the manufacturing process.
- 2) We further certify that the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium present in any package or package component does not exceed 100 parts per million by weight.
- 3) We will maintain adequate documentation of this certification for inspection upon request.

COMPANY NAME: Hangzhou Youzhou Imp. & Exp. Co., LTD.  
 ADDRESS: Room 1815, South Building, Modern City Centre, 161 Shaoxing Rd, Hangzhou, China

杭州友洲进出口有限公司  
 HANGZHOU YOUZHOU IMPORT & EXPORT CO., LTD.  


CERTIFIED BY:

\_\_\_\_\_  
 (Name) (Signature)  
 \_\_\_\_\_  
 (Title) 2015.4.16 (Date)

Guarantee letter provided by client

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TRF #: 99658-150317-PC-0029628-01      99658-LI & FUNG - HANGZHOU YOUZHOU I      Date Published: 03/23/2015

Suggested Protocol:		Group Name:		Group 2
Photo	VPN	SKU	UPC	Product Description
	LFSHYZ-12	10427403	00886946720550	IMAGIN8 HALL SUSPENDERS
	Country of Sale	Suggested Age	Prod Designation	Special Instructions
	US & CAN			
	Color	Material	Size	Supplier Comments
	HOT PINK,RAINBOW,LIME	POLYESTER,METAL	11.5CMX34.5CM	recommand to choose the hot pink sample to do the full protocol test and others are grouped ,no tesing as the material is same and the only difference is color
	Brand	Test Type	Retest?	QA Manager Comments
	Imagin8	Full Protocol Testing		Full Protocol Testing for hot pink. Michaels will allow testing to be conducted prior to receiving final packaging art. After testing is done place order on hold until packaging art arrives. when art arrives please review and issue report.

Grouping image per the OLTRF provided by client

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.